

Recreate xNode DSNs for selected frozen pkgs

- <u><Built-in Solutions></u>
- <XML services in CMN/ZMF> |
- </l
- <u><CMN/ZMF Helpdesk></u>

Summary: Submit a request to recreate the X-node DSNs for all frozen packages, optionally limited to only those packages that contain components of a specific library type.

Limiting the scope of all package to be processed by library type is possible for library types displayed within the package content (S2) or displayed via a source-to-load relationship.

This is something that is typically done/needed when some production or baseline DSN has been renamed, due to which the X-node DSNs that have been created during freeze have be refreshed. Without such refresh JCL errors (DSN not found) will occur during package installation (because the X-node DSNs are still the DSNs from before the rename).

Solution ID: ASCZ0051 Solution Variables:

ASC1 - AbitMORE[®] SCM Commander 1.4.1 > CMN/ZMF Solutions > Recreate Xnode DSN for a list of frozen packages Home Scroll => Command => Recreate X.Node data set of frozen packages Execution options Trace....: N=No trace, Y=Rexx trace, X=Xml trace CMN/ZMF subsys..: CMN/ZMF subsystem ID View JCL before submit (Y/N) View JCL..... Target selection Pkg ID, pkg mask or appl mask(" " for all) Component library type (" " for all) Package id/mask.: Library type....: PSB Press <ENTER> to process, <END> to return

Scenario:

Source URL (retrieved on 26/04/2024 - 02:00): http://www.abitmore-scm.com/products/commander/builtin-

www.AbitMORE-SCM.com



solutions/ascz0051