

## Components deleted from STG without demote

- [<Built-in Reports>](#) |
- [<CMN/ZMF Reporting>](#) |
- [<CMN/ZMF Performance Tuning>](#) |
- [<CMN/ZMF Quality Assurance Dashboard>](#) |
- [<CMN/ZMF Release Management Dashboard>](#)

**Summary:** List all components deleted from staging without a prior demote from one or more promotion levels.

**Report ID:** PCDLNODM

**Report Specs:**

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 10 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: PCDLNODM Description: Deleted comps without demote
Alias name ==> _____ User Auth: P
Report category ==> RMG_____ Security entity ==> _____
Report panel ==> ASRV002_____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	CMP Name_____	-	_____	A	-
-	CMP Type_____	-	_____	A	-
-	PRM Date_____	-	_____	A	-
-	PRM Time_____	-	_____	A	-
-	Appl-PkgId_____	-	_____	-	-
-	- CMP Prm His_____	EQ	DelNoDem_____	-	-
-	PRM Site_____	-	_____	-	-
-	PPR LVL_____	-	_____	-	-
-	PRM NickNM_____	NE	#RPTV_PROMO_NICKNM_____	-	-
-	PRM Action_____	-	_____	-	-

```
***** Bottom of data *****
```

**Report Variables:**

```
ASR1      - AbitMORE® SCM Reporting > Generate report -----
Command ==>

Report: Id ==> PCDLNODM      Desc ==> Deleted comps without demote
Input: Primary CMN ==> Y (Y=Yes,N=No)      CMNI-711 ==> N (Y=Yes,N=No)
      Archive CMN ==> N (Y=Yes,N=No)      CMNI-611 ==> N (Y=Yes,N=No)
      History CMN ==> N (Y=Yes,N=No)      CMN -611 ==> N (Y=Yes,N=No)
      External vars ==> Y (Y=Yes,N=No)      Edit vars ==> P (I=ISPF,P=Panel,N=No)
      Basket In DSN ==>
Output: Format ==> B      (R=Report,B=Basket)      Edit Fmt ==> Y (Y=Yes,N=No)
      Details ==> Y      (Y=Yes,N=No)      Edit JCL ==> Y (Y=Yes,N=No)

Report vars -----
ASR1
Command ==>

Promotion nickname ==> ACPT      (1 to 8 chars)

Press ENTER to process or END to return to previous menu.
```

Specifying values for report variables can be done using the **edit vars** feature, for which two options exist:

- option **P** will bring up an ISPF pop-up panel (as illustrated above). Using this option, the values entered can be validated using any of the available ISPF panel validation techniques (even ISPF panel exists should that be required), which adds another dimension to the power of report variables.
- option **I** will invoke the standard ISPF editor. Checkout [orphan component promotion history](#) for an illustration of this option.

#### Report Output:

```
***** Top of Data *****
000001 component<componentType<promotionDate<promotionTime<package<promotionSit
000002 C4MP1<DBR<2006/05/02<12:25:41<IC41000005<ONTW<21<SINT001<Part PRM<
000003 C4MP1<EXE<2006/05/02<12:25:41<IC41000005<ONTW<21<SINT001<Part PRM<
- - - - - 2 Line(s) not Displayed
000006 C4PH3<DBR<2006/05/02<12:27:09<IC41000005<ONTW<21<SINT001<Part PRM<
000007 C4PH3<EXE<2006/05/02<12:27:09<IC41000005<ONTW<21<SINT001<Part PRM<
- - - - - 2113 Line(s) not Displayed
002121 TLLBR021<DCP<2006/11/08<15:15:03<IC41000005<ONTW<21<SINT001<Part PRM<
002122 TLL0006<DCP<2006/11/09<14:37:29<IC41000005<ONTW<21<SINT001<Part PRM<
- - - - - 94 Line(s) not Displayed
002217 XF290200<DDL<2000/07/20<15:21:08<IFXM000034<ONTW<21<SINT001<Part PRM<
002218 XF290201<DDL<2000/07/20<15:21:08<IFXM000034<ONTW<21<SINT001<Part PRM<
002219 Y3M0863<SRC<2008/09/05<11:38:19<ILMU000084<ONTC<08<MAILBOX<Part PRM<
***** Bottom of Data *****
```

Source URL (retrieved on 27/04/2024 - 01:34): <http://www.abitmore-scm.com/products/reporting/builtin-reports/pcdlnodm>

