

Orphan component promotion history

- <Built-in Reports>
- <CMN/ZMF Reporting>
- <CMN/ZMF Performance Tuning>

Summary: List all component promotion history for all DFZ packages, related to an obsoleted promotion level.

Related Topics: Basket processing applied to ASR report PCORPHN

Report ID: PCORPHN

Report Specs:

```
    AbitMORE® SCM Reporting > Edit rpt

                                         > Fields
                                                  11 field(s) selected
                                                      Scroll ===> CS
Command ===>
Report Id:
           PCORPHN
                   Description: Orphan CMP promo hist (bsk)
Alias name
              ===>
                                                       User Auth: P
                                   Security entity
Report category ===> CPT____
Report panel
              ===>
                                   Remove duplicates ===> YES (Yes, No)
Field connector ===> AND (And,Or)
Valid line commands: A fter, B efore, M ove, I nsert, D elete
Enter END to save, ENTER to continue or CANCEL to exit.
     Column name
                                       Value
Cmd
                   Oper
                                                             Ord Grp
```

Report Variables:

www.AbitMORE-SCM.com



Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

```
U87462.ASR.WV.RPTV7(PCORPHN) - 01.08
                                         Columns 00001 00072
EDIT
Command ===>
                                           Scroll ===> CSR
    ******
                                  *******
                         Top of Data
000001
    /* Initialize extended variables
000002
000003 /* RPTV_PROMO_NICKNM = promotion nickname
000004
000005 rptv_promo_nicknm = 'VM*'
```

Specifying values for report variables can be done using the edit vars feature, for which two options exist:

- option P will bring up an ISPF pop-up panel. Checkout components deleted from STG without demote for an illustration of this option.
- option I will invoke the standard ISPF editor (as illustrated above). Using this option, the specification of values can be done using any REXX compliant assign statement, which adds another dimension to the power of report variables.

```
Report Output:
                                    Top of Data
000001 package<promotionDate<promotionTime<promotionSiteName<promotionLevel<CMP
000002 ICIF000059<2005/11/04<08:28:19<VMSINT<20<Deleted<F1AVS<$VM<DELETED<
O00003 ICIF000059<2005/11/04<08:28:19<VMSINT<20<Deleted<F1AVS<$VQ<DELETED<
000004 ICIF000059<2005/11/04<08:28:19<VMSINT<20<Deleted<F1A95<$VM<DELETED<
                                                   1991 Line(s) not Displayed
001996 IFXM000478<2004/09/10<12:59:06<VMCOLL<25<Deleted<F0001101<MLU<DELETED<
001997 IFXM000478<2004/09/10<12:59:06<VMCOLL<25<Deleted<F0001101<MLV<DELETED</pre>
001998 IFXM000478<2004/09/10<12:59:06<VMCOLL<25<Deleted<F2MOCI<SRV<DELETED<
O01999 IFXMOOO478<2004/09/10<12:59:06<VMCOLL<25<Deleted<F2MOO02<SRV<DELETED<
002000 IFXM000502<2003/06/03<17:31:28<VMCOLL<25<Deleted<F2P6312<SRV<DELETED<
002001 IFXM000502<2008/05/30<07:22:10<VMSINT<20<Deleted<F0002801<MLT<DELETED<
002002 IFXM000502<2008/05/30<07:22:10<VMSINT<20<Deleted<F2MMM1<SRV<DELETED<
OO2003 IFXMOOO502<2008/05/30<07:22:10<VMSINT<20<Deleted<F2MMM2<SRV<DELETED<
002004 IFXM000502<2008/05/30<07:22:10<VMSINT<20<Deleted<F2MT003<SRV<DELETED<
                                                    222 Line(s) not Displayed
OO2227 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0E0D000<RXX<DELETED<
OO2228 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0G71<$VQ<DELETED<
OO2229 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0G71FM<$VV<DELETED<
OO2230 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<FOG72<$VQ<DELETED<
OO2231 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0G72FM<$VV<DELETED<
OO2232 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0PK01<SRV<DELETED<
OO2233 ISAD000269<2008/05/30<07:33:59<VMSINT<20<Deleted<F0P203C<SRV<DELETED<
OO2234 ISAD000422<2008/05/30<07:34:00<VMSINT<20<Deleted<F0PK01<SRV<DELETED<
002235 ISAD000422<2008/05/30<07:34:00<VMSINT<20<Demoted<F0005001<MLT<ACTIVE<
002236 ISAD000422<2008/05/30<07:34:00<VMSINT<20<Demoted<TF00026<DDL<ACTIVE<
```

Source URL (retrieved on 26/04/2024 - 04:44): http://www.abitmore-scm.com/products/reporting/builtinreports/pcorphn