

<CMN/ZMF Reporting>

AbitMORE SCM Reporting - Categories

Each of the <u>built-in reports</u> have been assigned a unique report category, which facilitates the review and use of these reports. <u>Read more »</u>


BAS packages waiting to be aged

Summary: List all BAS packages baselined before a given date. Read more » **Report Specs:** AbitMORE[®] SCM Reporting > Edit rpt ASR1 > Fields 5 field(s) selected Command ===> Scroll ===> Description: BAS pkgs waiting to be aged Report Id: PKGS2AGE Alias name ===> User Auth: P Security entity Report category ===> Report panel ===> Field connector ===> AND (And,Or) Remove duplicates ===> YES (Yes,No) A fter, B efore, M ove, I nsert, D elete Valid line commands: Enter END to save, ENTER to continue or CANCEL to exit. Cmd Column name Value Oper Ord Grp **************************** ****** Bottom of data ******

Audit packages reverted from production

Summary: List all packages installed in production for a while and reverted afterwards. **<u>Read more »</u> Report Specs:**





Backed out packages waiting revert

Summary: List all packages installed in production and backed out afterwards, but not yet reverted to DEV again. <u>Read more »</u> Report Specs:

abit more	<cmn reporting="" zmf=""></cmn>
SCM	Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

Command ===> _	SCM Reporting	g > Edit rpt > Fields 7 field(s) sele Scroll ===>	
Alias name === Report category === Report panel === Field connector ===	<pre>> PCD >> AND (And,Or)</pre>	h: BAK pkgs waiting REVERT Security entity ===> User Auth: CMN_BKOU Remove duplicates ===> YES (Yes,N efore, M ove, I nsert, D elete	
Enter END to save, E	NTER to contin	nue or CANCEL to exit.	
	NTER to contin Oper	nue or CANCEL to exit. Value Ord	Grp
Cmd Column name <mark>PKGID</mark>			Grp
Cmd Column name	Oper 		Grp

Packages without DIS acknowledgement

Summary: List all packages distributed to production, but for which some handshaking data seems to be missing. Read more » Penert Space:

Report Specs:

abit more scm &It;CMN/ZMF Reporting> Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

ASR1 - AbitMORE® Command ===> _	SCM Reporting :	> Edit rpt > Fields 10 field Scro	d(s) selected oll ===> <mark>CSR</mark>			
Report Id: NOACKDIS Description: DIS pkgs without ACK date Alias name ===> User Auth: P Report category ===> CHD Security entity ===> Report panel ===> AND (And,Or) Remove duplicates ===> YES (Yes,No) Valid line commands: A fter, B efore, M ove, I nsert, D elete Enter END to save, ENTER to continue or CANCEL to exit.						
Cmd Column name	Oper	Value	Ord Grp			
<pre>_ APPL-PKGID _ PROD SITE _ STA _ CREATED ON _ CREATOR ID</pre>	IN DIS,INS,	BAS	A - A - A - A - A - A - A - A - A - A -			
_ FRZ DATE _ APR DATE _ DIS DATE _ INS DATE	EQ &NULL_					

Planned packages created/baselined same day

Summary: List all planned packages baselined on the day they were created. Read more » Report Specs:


abit m	ore
	SCM

&It;CMN/ZMF Reporting> Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

ASR1 - AbitMORE® Command ===>	SCM Reporting > Edit r	pt > Fie	lds 9	field(s Scroll) selected ===> CSR		
Alias name ===> Report category ===> Report panel ===>	> AUD Se	curity ent	:ity ==	User =>	Auth: P (Yes,No)		
Valid line commands:	Valid line commands: A fter, B efore, M ove, I nsert, D elete						
Enter END to save, EN	NTER to continue or CAN	ICEL to exi	t.				
Cmd Column name Xmltag	Oper	Value	TagLen	Таатр	Ord Grp RecTp		
Nickname	Size Cs Format	Offset	таусен		кестр		
_ CRE Date	_ GE #RPTV_START_DATE		0000	COUT	A		
dateCreated CREADATE BAS Date	0010 N YYYY/MM/DD EQ @CREADATE	0257	0008	OUT	PGL		
dateBaselined BASEDATE Appl-PkgId	0010 N YYYY/MM/DD	0317	0008	OUT	PGL		
package APPLPACK	0010 N CHAR EO BAS	0001	0010	BOTH	PGL		
packageStatus PACKSTAT	0003 N CHAR	0011	0003	OUT	PGL		
packageType PACKTYPE	0001 N CHAR	0160	0001	OUT	PGL		

Never promoted frozen packages

Summary: Visualize the applications with FRZ packages that have never been promoted to any promotion target. Read more » **Report Specs:**



Components deleted from STG without demote

Summary: List all components deleted from staging without a prior demote from one or more promotion levels. <u>Read more »</u> Report Specs:

abit more	<cmn reporting="" zmf=""></cmn>
SCM	Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

	- AbitMORE® nd ===> _	SCM Report	<pre>ing > Edit rpt > Fields 10 field(s)</pre>	selected ==> <mark>CSR</mark>	
Report Id: PCDLNODM Description: Deleted comps without demote Alias name ===> Wser Auth: P Report category ===> RMG Security entity ===> Report panel ===> ASRV002 Remove duplicates ===> YES (Yes,No) Valid line commands: A fter, B efore, M ove, I nsert, D elete Enter END to save, ENTER to continue or CANCEL to exit.					
LITLET	END LO Save, EN	IEK LU LUII	CHINE OF CANCEL LO EXIL.		
	Column name	Oper	Value	Ord Grp	
Cmd 	Column name MP Name MP Type RM Date RM Time ppl-PkgId CMP Prm His RM Site			Ord Grp	

Staged components without updates

Summary: List all staged components checked out before, but without any updates as compared to the baseline. <u>Read more »</u> Report Specs:

abit more *	<cmn reporting="" zmf=""></cmn>
SCM	Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

ASR1 - AbitMORE® Command ===> _	SCM R	eporting > Edit rpt > Fields 11 field(s) sele Scroll ===>	
Alias name ===> Report category ===> Report panel ===> Field connector ===> Valid line commands:	CPT_ AND A f	(And,Or) Remove duplicates ===> YES (Yes,N ter, B efore, M ove, I nsert, D elete	Fo del com
Enter END to save, EN	ITER t	o continue or CANCEL to exit.	
Cmd Column name	Oper	Value Ord	Grp
_ Appl-PkgId		A	_
_ CMP Name		A	-
_ Pkg Status			1
_ Updt Date			-
_ Opdit Time Cmp Status			-
			-
_ Updt User			
_ Updt User _ CMP Hash (STG)		@COMPHSHC	1 1
_ Updt User _ CMP Hash (STG) _ CMP Hash (CKO) _ Like Type	EQ NE FO		1 1 1

Components not checked out from BAS 0

Summary: List all staged components that were not checked out before. <u>Read more »</u> Report Specs:



&It;CMN/ZMF Reporting> Published on AbitMORE-SCM.com (http://www.abitmore-scm.com)

- AbitMORE® SC Command ===>	CM Reporting >	Edit rpt > Fields	<pre>11 field(s) selected Scroll ===> CSR</pre>
Report Id: CMPNOCKO Alias name ===> Report category ===> Report panel ===> Field connector ===>	AUD	Security entity	User Auth: P
Valid line commands:	A fter, B efor	e, M ove, I nsert, D	elete
Enter END to save, ENTE	R to continue	or CANCEL to exit.	
Cmd Column name C	Oper	Value	Ord Grp
_ Appl-PkgId			A
_ Pkg Status _ CMP Name			Ā
_ CMP Type CMP Status			
_ Updt Date			
_ Updt Time Updt User			
_ CMP Hash (STG)	NE 000000000	000000	
CMP Hash (CKO)_	EQ 000000000	000000	
- PUS	EQ PDS	m of data ***********	******

- 1
- <u>2</u> <u>3</u>
- 4
- <u>next</u> >
- last »

Source URL (retrieved on 25/04/2024 - 04:48): http://www.abitmore-scm.com/taxonomy/term/12/all