

&lt;Built-in Reports&gt;

[BAS packages waiting to be aged](#)

Summary: List all BAS packages baselined before a given date. [Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 5 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: PKGS2AGE Description: BAS pkgs waiting to be aged
Alias name ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> ASRV023_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	APPL-PKGID_____	_____	_____	A	-
-	- STA_____	EQ	BAS_____	-	-
-	WRK RQST ID_____	_____	_____	-	-
-	BAS DATE_____	LT	#RPTV_TIME_FRAME_____	-	-
-	CREATOR_____	_____	_____	-	-

```
***** Bottom of data *****
```

[Audit packages reverted from production](#)

Summary: List all packages installed in production for a while and reverted afterwards. [Read more »](#)

Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields  7 field(s) selected
Command ==> _                               Scroll ==> CSR

Report Id:  AUDRVPRD  Description: Pkgs reverted from PROD
Alias name   ==> _____ User Auth: P
Report category ==> AUD_____ Security entity ==> _____
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.

Cmd  Column name  Oper  Value  Ord  Grp
-----
-  APPL_____  -  _____  A  -
-  PKG NR_____  -  _____  A  -
-  STATUS_____  NE  BAS_____  -  -
-  INS DATE_____  -  _____  -  -
-  CREATED_____  -  _____  -  -
-  FROZEN_____  -  _____  -  -
-  BASELINED_____  NE  &NULL_____  -  -
***** Bottom of data *****
```

[Backed out packages waiting revert](#)

Summary: List all packages installed in production and backed out afterwards, but not yet reverted to DEV again.

[Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 7 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: QUEVEREV Description: BAK pkgs waiting REVERT
Alias name ==> _____ User Auth: P
Report category ==> PCD_____ Security entity ==> CMN_BKOU
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	PKGID_____	-	_____	-	-
-	STA_____	NE	DEV_____	-	-
-	PROD SITE_____	-	_____	-	-
-	BAK DATE_____	NE	&NULL_____	A	-
-	BAK TIME_____	-	_____	-	-
-	BAS DATE_____	-	_____	-	-
-	BAS TIME_____	-	_____	-	-

***** Bottom of data *****

Packages without DIS acknowledgement

Summary: List all packages distributed to production, but for which some handshaking data seems to be missing.
[Read more »](#)
Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields 10 field(s) selected
Command ==> _                               Scroll ==> CSR

Report Id:  NOACKDIS  Description: DIS pkgs without ACK date
Alias name   ==> _____ User Auth: P
Report category ==> CHD_____ Security entity ==> CMN_MON_
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands:  A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.

Cmd  Column name  Oper  Value  Ord  Grp
---  -
-  APPL-PKGID  -  -  A  -
-  PROD SITE  -  -  A  -
-  STA  IN  DIS ,INS ,BAS  -  -
-  CREATED ON  -  -  -  -
-  CREATOR ID  -  -  -  -
-  FRZ DATE  -  -  -  -
-  APR DATE  -  -  -  -
-  DIS DATE  EQ  &NULL  -  -
-  INS DATE  -  -  -  -
-  BAS DATE  -  -  -  -
***** Bottom of data *****
```

[Planned packages created/baselined same day](#)

Summary: List all planned packages baselined on the day they were created. [Read more »](#)

Report Specs:


```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 9 field(s) selected
Command ==> Scroll ==> CSR

Report Id: PKGBASPL Description: PLND pkgs CRE+BAS same day
Alias name ==> User Auth: P
Report category ==> AUD Security entity ==>
Report panel ==> ASRV015_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name Xm1tag Nickname	Oper Size Cs Format	Value Offset	TagLen	TagTp	Ord RecTp	Grp
-	CRE Date	GE #RPTV_START_DATE				A	-
	dateCreated			0008	OUT	PGL	
	CREADATE	0010 N YYYY/MM/DD	0257				
-	BAS Date	EQ @CREADATE					-
	dateBaselined			0008	OUT	PGL	
	BASEDATE	0010 N YYYY/MM/DD	0317				
-	App1-PkgId						-
	package			0010	BOTH	PGL	
	APPLPACK	0010 N CHAR	0001				
-	Sta	EQ BAS					-
	packageStatus			0003	OUT	PGL	
	PACKSTAT	0003 N CHAR	0011				
-	Typ	EQ 1					-
	packageType			0001	OUT	PGL	
	PACKTYPE	0001 N CHAR	0160				

[Never promoted frozen packages](#)

Summary: Visualize the applications with FRZ packages that have never been promoted to any promotion target.

[Read more »](#)

Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields  4 field(s) selected
Command ==>                                     Scroll ==> CSR

Report Id:  PPNOPRM   Description: Never promoted FRZ pkgs (bsk)
Alias name   ==> _____ User Auth: P
Report category ==> QAV_____ Security entity ==> CMN_REVR
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands:  A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	APPL-PKGID_____		_____	A	-
-	STA_____	EQ	FRZ_____	-	-
-	- PRM NICKNM_____	EQ	&NULL_____	-	-
-	PKG CREATOR_____		_____	-	-

***** Bottom of data *****

Components deleted from STG without demote

Summary: List all components deleted from staging without a prior demote from one or more promotion levels.

[Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 10 field(s) selected
Command ==> _ scroll ==> CSR

Report Id: PCDLNODM Description: Deleted comps without demote
Alias name ==> _____ User Auth: P
Report category ==> RMG_____ Security entity ==> _____
Report panel ==> ASRV002_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	CMP Name_____	-	_____	A	-
-	CMP Type_____	-	_____	A	-
-	PRM Date_____	-	_____	A	-
-	PRM Time_____	-	_____	A	-
-	Appl-PkgId_____	-	_____	-	-
-	- CMP Prm His_____	EQ	De1NoDem_____	-	-
-	PRM Site_____	-	_____	-	-
-	PPR LVL_____	-	_____	-	-
-	PRM NickNM_____	NE	#RPTV_PROMO_NICKNM_____	-	-
-	PRM Action_____	-	_____	-	-

```
***** Bottom of data *****
```

Staged components without updates

Summary: List all staged components checked out before, but without any updates as compared to the baseline.

[Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> _ scroll ==> CSR

Report Id: CMPNOCHG Description: Comps in STG without changes
Alias name ==> _ User Auth: P
Report category ==> CPT_ Security entity ==> _
Report panel ==> _
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Appl-PkgId	-		A	-
-	CMP Name	-		A	-
-	CMP Type	-		-	-
-	Pkg Status	-		-	-
-	Updt Date	-		-	-
-	Updt Time	-		-	-
-	Cmp Status	-		-	-
-	Updt User	-		-	-
-	CMP Hash (STG)	EQ	@COMPHSHC	-	-
-	CMP Hash (CKO)	NE	0000000000000000	-	-
-	- Like Type	EQ	PDS	-	-

***** Bottom of data *****

Components not checked out from BAS 0

Summary: List all staged components that were not checked out before. [Read more »](#)
Report Specs:


```
- AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> Scroll ==> CSR

Report Id: CMPNOCKO Description: Comps not CKOed from baseline
Alias name ==> _____ User Auth: P
Report category ==> AUD _____ Security entity ==> _____
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Appl-PkgId	-	_____	A	-
-	Pkg Status	-	_____	-	-
-	CMP Name	-	_____	A	-
-	CMP Type	-	_____	-	-
-	CMP Status	-	_____	-	-
-	Updt Date	-	_____	-	-
-	Updt Time	-	_____	-	-
-	Updt User	-	_____	-	-
-	CMP Hash (STG)	NE	0000000000000000	-	-
-	- CMP Hash (CKO)	EQ	0000000000000000	-	-
-	- PDS	EQ	PDS	-	-

```
***** Bottom of data *****
```

Empty Packages

Summary: List all DEV packages created in the past, without any package components. [Read more »](#)

Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields  7 field(s) selected
Command ==> _                               Scroll ==> CSR

Report Id:  PKGEMPTY  Description: Empty packages (xml basket)
Alias name   ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands:  A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	APPL-PKGID_____		_____	-	-
-	- PKG STA_____	EQ	DEV_____	-	-
-	PKG CREATOR_____		_____	-	-
-	- CRE DATE_____	NE	&TODAY_____	-	-
-	WORK REQST ID_____		_____	-	-
-	- CMPNAME_____	EQ	&NULL_____	-	-
-	- LTP_____	EQ	&NULL_____	-	-

***** Bottom of data *****

- 1
- 2
- [next ›](#)
- [last »](#)

Source URL (retrieved on 25/04/2024 - 12:33): <http://www.abitmore-scm.com/taxonomy/term/69>