

&lt;CMN/ZMF Performance Tuning&gt;

[Remove dead checkout requests](#)

Summary: Create a basket of dead checkout requests ([using ASR's built-in report DEADCKOS](#)). Then use ASC's [basket processing](#) to delete all such components from their packages. [Read more »](#)

[Basket processing applied to ASR report PCORPHN](#)

Summary: Create a basket of orphan component promotion history records ([using ASR's built-in report PCORPHN](#)). Then use ASC's [basket processing](#) to remove all these orphan component promotion history entries. [Read more »](#)

[BAS packages waiting to be aged](#)

Summary: List all BAS packages baselined before a given date. [Read more »](#)

Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields  5 field(s) selected
Command ===> _                               Scroll ===> CSR

Report Id:  PKGS2AGE  Description: BAS pkgs waiting to be aged
Alias name      ===> _____ User Auth: P
Report category ===> CPT_____ Security entity ===> _____
Report panel    ===> ASRV023_
Field connector ===> AND (And,Or) Remove duplicates ===> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.

Cmd  Column name  Oper  Value  Ord  Grp
---  -
-  APPL-PKGID_____  EQ  BAS_____  A  -
-  - STA_____  EQ  BAS_____  -  -
-  WRK RQST ID_____  LT  #RPTV_TIME_FRAME_____  -  -
-  BAS DATE_____  LT  #RPTV_TIME_FRAME_____  -  -
-  CREATOR_____  LT  #RPTV_TIME_FRAME_____  -  -
***** Bottom of data *****
```

[Components deleted from STG without demote](#)

Summary: List all components deleted from staging without a prior demote from one or more promotion levels.

[Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 10 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: PCDLNODM Description: Deleted comps without demote
Alias name ==> _____ User Auth: P
Report category ==> RMG_____ Security entity ==> _____
Report panel ==> ASRV002_____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	CMP Name_____	-	_____	A	-
-	CMP Type_____	-	_____	A	-
-	PRM Date_____	-	_____	A	-
-	PRM Time_____	-	_____	A	-
-	Appl-PkgId_____	-	_____	-	-
-	- CMP Prm His_____	EQ	De1NoDem_____	-	-
-	PRM Site_____	-	_____	-	-
-	PPR LVL_____	-	_____	-	-
-	PRM NickNM_____	NE	#RPTV_PROMO_NICKNM_____	-	-
-	PRM Action_____	-	_____	-	-

```
***** Bottom of data *****
```

[Staged components without updates](#)

Summary: List all staged components checked out before, but without any updates as compared to the baseline.

[Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> _ scroll ==> CSR

Report Id: CMPNOCHG Description: Comps in STG without changes
Alias name ==> _ User Auth: P
Report category ==> CPT_ Security entity ==> _
Report panel ==> _
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Appl-PkgId	-		A	-
-	CMP Name	-		A	-
-	CMP Type	-		-	-
-	Pkg Status	-		-	-
-	Updt Date	-		-	-
-	Updt Time	-		-	-
-	Cmp Status	-		-	-
-	Updt User	-		-	-
-	CMP Hash (STG)	EQ	@COMPHSHC	-	-
-	CMP Hash (CKO)	NE	0000000000000000	-	-
-	- Like Type	EQ	PDS	-	-

```
***** Bottom of data *****
```

Empty Packages

Summary: List all DEV packages created in the past, without any package components. [Read more »](#)

Report Specs:

```
ASR1      - AbitMORE® SCM Reporting > Edit rpt  > Fields  7 field(s) selected
Command ==> _                               Scroll ==> CSR

Report Id:  PKGEMPTY  Description: Empty packages (xml basket)
Alias name   ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> _____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands:  A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.

Cmd      Column name      Oper      Value      Ord  Grp
---      -
-  APPL-PKGID_____
-  - PKG STA_____ EQ  DEV_____
-  PKG CREATOR_____
-  - CRE DATE_____ NE  &TODAY_____
-  WORK REQST ID_____
-  - CMPNAME_____ EQ  &NULL_____
-  - LTP_____ EQ  &NULL_____
***** Bottom of data *****
```

[Orphan component promotion history](#)

Summary: List all component promotion history for all DFZ packages, related to an obsoleted promotion level.

[Read more »](#)

Report Specs:


```
- AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> scroll ==> CSR

Report Id: PCORPHN Description: Orphan CMP promo hist (bsk)
Alias name ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> ASRV002_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Appl-PkgId_____	-	_____	A	-
-	PRM Date_____	-	_____	A	-
-	PRM Time_____	-	_____	A	-
-	- Pkg Status_____	IN	DEV,FRZ_____	-	-
-	PRM Site_____	-	_____	-	-
-	- Prm NickNM_____	EQ	#RPTV_PROMO_NICKNM_____	-	-
-	Prm LVL_____	-	_____	-	-
-	CMP PRM Status_____	-	_____	-	-
-	CMP Name_____	-	_____	-	-
-	CMP Type_____	-	_____	-	-
-	CMP PKG Status_____	-	_____	-	-

```
***** Bottom of data *****
```

[All stage requests not moving anymore](#)

Summary: List all staged components in all non-BAS packages, that were last changed long time ago. [Read more](#)

»
Report Specs:

```
- AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: DEADSTGS Description: DEAD stage requests
Alias name ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> ASRV023_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Updt User_____	-	_____	A	-
-	Updt Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	CMP Name_____	NE	&NULL_____	-	-
-	CMP Type_____	-	_____	-	-
-	CMP Status_____	NE	CHECKOUT_____	-	-
-	Appl ID_____	-	_____	A	-
-	Pkg Id_____	-	_____	A	-
-	Pkg Status_____	NE	BAS_____	-	-
-	CRE Date_____	-	_____	-	-
-	Wrk Rqst Id_____	-	_____	-	-
-	Departement_____	-	_____	-	-

```
***** Bottom of data *****
```

[All checkout requests not moving anymore](#)

Summary: List all components in CHECKOUT status, checked out before a given date. [Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 11 field(s) selected
Command ==> _ Scroll ==> CSR

Report Id: DEADCKOS Description: DEAD checkout requests
Alias name ==> _____ User Auth: P
Report category ==> CPT_____ Security entity ==> _____
Report panel ==> ASRV023_____
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete

Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Updt User_____			A	-
-	Updt Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	CMP Name_____			-	-
-	CMP Type_____			-	-
-	- CMP Status_____	EQ	CHECKOUT_____	-	-
-	Appl ID_____			A	-
-	Pkg Id_____			A	-
-	Pkg Status_____	NE	BAS_____	-	-
-	CRE Date_____			-	-
-	Wrk Rqst Id_____			-	-
-	Departement_____			-	-

```
***** Bottom of data *****
```

[Non-BAS pkgs not moving anymore](#)

Summary: List all non-BAS packages without any recent package status changes. [Read more »](#)

Report Specs:

```
ASR1 - AbitMORE® SCM Reporting > Edit rpt > Fields 12 field(s) selected
Command ==> Scroll ==> CSR

Report Id: DEADPKGS Description: Pkgs with no recent updates
Alias name ==> User Auth: P
Report category ==> CPT Security entity ==>
Report panel ==> ASRV023_
Field connector ==> AND (And,Or) Remove duplicates ==> YES (Yes,No)

Valid line commands: A fter, B efore, M ove, I nsert, D elete
Enter END to save, ENTER to continue or CANCEL to exit.
```

Cmd	Column name	Oper	Value	Ord	Grp
-	Pkg Creator_____	-	_____	A	-
-	CRE Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	FRZ Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	DIS Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	BAS Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	BAK Date_____	LE	#RPTV_TIME_FRAME_____	A	-
-	Appl Id_____	-	_____	A	-
-	Pkg Id_____	-	_____	A	-
-	Pkg Status_____	NE	BAS_____	-	-
-	Pkg Type_____	-	_____	-	-
-	Wrk Rqst Id_____	-	_____	-	-
-	Departement_____	-	_____	-	-

```
***** Bottom of data *****
```

- [1](#)
- [2](#)
- [next ›](#)
- [last »](#)

Source URL (retrieved on 24/04/2024 - 21:17): <http://www.abitmore-scm.com/taxonomy/term/77>