

<CMN/ZMF Helpdesk>

Find the XML service to update the appl in use flag

Summary: How to search (or find) the XML service that is available for updating the "application in use" indicator. <u>Read more »</u>

Generate REXX with an XML to update the appl in use flag

Summary: Develop a REXX procedure using appropriate XML service(s) for updating the "application in use" indicator (e.g. in a batch job during ChangeMan ZMF housekeeping). <u>Read more »</u>

Basket processing applied to ASR report PCORPHN

Summary: Create a basket of orphan component promotion history records (<u>using ASR's built-in report PCORPHN</u>). Then use ASC's <u>basket processing</u> to remove all these orphan component promotion history entries. <u>Read more</u>


Basket processing

Using XML services in ChangeMan ZMF (CMN/ZMF) is great. It has allowed many CMN/ZMF users to create all sorts of customizations and applications that interface with CMN/ZMF, all based on the XML services that are delivered with CMN/ZMF. However, many of these CMN/ZMF users also want to automate various tasks that are typically repeated for a "list" of: <u>Read more »</u>

Synchronize DEV staging library list with catalog

Summary: Verify and correct discrepancies between the zOS catalog and the staging DSNs registered in CMNPMAST as allocated. <u>Read more »</u> Solution Variables:





Recreate xNode DSNs for selected frozen pkgs

Summary: Submit a request to recreate the X-node DSNs for all frozen packages, optionally limited to only those packages that contain components of a specific library type. <u>Read more »</u> **Solution Variables:**



ASC1 - AbitMORE® SCM Commande Home > CMN/ZMF Solutions > Command => _	Recreate Xnode DSN for a list of	frozen packages Scroll => CSR
Recreate X.Node data set of	frozen packages	
Execution options TraceN CMN/ZMF subsyst View JCLN	N=No trace, Y=Rexx trace, X=Xml CMN/ZMF subsystem ID View JCL before submit (Y/N)	trace
Target selection Package id/mask.: Library type: PSB	_ Pkg ID, pkg mask or appl mask(" Component library type (" " for	

Press <ENTER> to process, <END> to return

Change the creator Id of a package

Summary: Change the creator ID of a change package to another userid, something that is typically done for none-BAS packages created by somebody who left the company. <u>Read more »</u> **Solution Variables:**



ASC1 - AbitMORE[®] SCM Commander 1.4.1 -----> CMN/ZMF Solutions > Change the creator id of a package Home Scroll => CS Command => Update the creator id of a package Execution options N=No trace, Y=Rexx trace, X=Xml trace Trace..... N CMN/ZMF subsys..: T CMN/ZMF subsystem ID Target selection Package id.....: DEMO000123 Appl Id and package nr Processing values (new) New creator....: SOMEUSER Userid of the package creator

Press <ENTER> to process, <END> to return

Update install date for all expired packages (limbo)

Summary: Mass update the planned install date of all change package with "install date passed" to the new (future) install date. Read more » Solution Variables:



ASC1 - AbitMORE® SCM Commander Home > CMN/ZMF Solutions > U Command =>	1.4.1 Update install date for all expired pkgs (limbo) Scroll => CSR
Extend the date of packages in	n Limbo
CMN/ZMF subsys: CM Execute/Simulate: N Y=	=No trace, Y=Rexx trace, X=Xml trace MN/ZMF subsystem ID =Execute or N=Simulate only iew JCL before submit (Y/N)
Target selection Application: * Application	pplication mask (* for all applications)
Processing values Install date: 201209 <u>1</u> 2 Ne	ew install date in format YYYYMMDD

Press <ENTER> to process, <END> to return

Source URL (retrieved on 01/05/2024 - 22:54): http://www.abitmore-scm.com/taxonomy/term/89