

<CMN/ZMF Helpdesk>

[Find the XML service to update the appl in use flag](#)

Summary: How to search (or find) the XML service that is available for updating the "application in use" indicator. [Read more »](#)

[Generate REXX with an XML to update the appl in use flag](#)

Summary: Develop a REXX procedure using appropriate XML service(s) for updating the "application in use" indicator (e.g. in a batch job during ChangeMan ZMF housekeeping). [Read more »](#)

[Basket processing applied to ASR report PCORPHN](#)

Summary: Create a basket of orphan component promotion history records ([using ASR's built-in report PCORPHN](#)). Then use ASC's [basket processing](#) to remove all these orphan component promotion history entries. [Read more »](#)

[Basket processing](#)

Using XML services in ChangeMan ZMF (CMN/ZMF) is great. It has allowed many CMN/ZMF users to create all sorts of customizations and applications that interface with CMN/ZMF, all based on the XML services that are delivered with CMN/ZMF. However, many of these CMN/ZMF users also want to automate various tasks that are typically repeated for a "list" of: [Read more »](#)

[Synchronize DEV staging library list with catalog](#)

Summary: Verify and correct discrepancies between the zOS catalog and the staging DSNs registered in CMNPMAS as allocated. [Read more »](#)

Solution Variables:

```
ASC1 - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Synchronize (dev) staging libs with catalog
Command => _                               Scroll => CSR

Synchronize the package development staging library list with the catalog

Execution options
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsys.: T      CMN/ZMF subsystem ID

Target selection
Package id/mask.: * _____ Pkg ID, pkg mask or app1 mask ( * for all)

Press <ENTER> to process, <END> to return
```

[Recreate xNode DSNs for selected frozen pkgs](#)

Summary: Submit a request to recreate the X-node DSNs for all frozen packages, optionally limited to only those packages that contain components of a specific library type. [Read more »](#)

Solution Variables:

```

ASC1 - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Recreate Xnode DSN for a list of frozen packages
Command => _                               Scroll => CSR

Recreate X.Node data set of frozen packages

Execution options
Trace.....: N           N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsystem...: t       CMN/ZMF subsystem ID
View JCL.....: N         View JCL before submit (Y/N)

Target selection
Package id/mask.: _____ Pkg ID, pkg mask or appl mask(" " for all)
Library type....: PSB        Component library type (" " for all)

Press <ENTER> to process, <END> to return
  
```

[Change the creator Id of a package](#)

Summary: Change the creator ID of a change package to another userid, something that is typically done for none-BAS packages created by somebody who left the company. [Read more »](#)

Solution Variables:

```
ASC1 - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Change the creator id of a package
Command =>                                     scroll => CSR

Update the creator id of a package

Execution options
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsys.: T      CMN/ZMF subsystem ID

Target selection
Package id.....: DEM0000123 App1 Id and package nr

Processing values (new)
New creator.....: SOMEUSER  Userid of the package creator

Press <ENTER> to process, <END> to return
```

[Update install date for all expired packages \(limbo\)](#)

Summary: Mass update the planned install date of all change package with “install date passed” to the new (future) install date. [Read more »](#)

Solution Variables:

```
ASCI - AbitMORE® SCM Commander 1.4.1 -----
Home    > CMN/ZMF Solutions > Update install date for all expired pkgs (limbo)
Command =>                                     Scroll => CSR

Extend the date of packages in Limbo

Execution options
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsys...: _    CMN/ZMF subsystem ID
Execute/Simulate: N          Y=Execute or N=Simulate only
View JCL.....: N          View JCL before submit (Y/N)

Target selection
Application.....: * ____ Application mask ( * for all applications)

Processing values
Install date....: 20120912 New install date in format YYYYMMDD

Press <ENTER> to process, <END> to return
```

Source URL (retrieved on 23/05/2019 - 12:53): <http://www.abitmore-scm.com/taxonomy/term/89>