

<XML services in CMN/ZMF>

[Mass update sequence numbers of like CPY library types](#)

Summary: Create a basket of all like CPY library types (or a subset of them) for all application IDs (or a subset of them). Then use ASC's [basket processing](#) to assign a sequence number to each of the selected library types (in A.A.2). [Read more »](#)

[Remove dead checkout requests](#)

Summary: Create a basket of dead checkout requests ([using ASR's built-in report DEADCKOS](#)). Then use ASC's [basket processing](#) to delete all such components from their packages. [Read more »](#)

[Find the XML service to update the appl in use flag](#)

Summary: How to search (or find) the XML service that is available for updating the "application in use" indicator. [Read more »](#)

[Generate REXX with an XML to update the appl in use flag](#)

Summary: Develop a REXX procedure using appropriate XML service(s) for updating the "application in use" indicator (e.g. in a batch job during ChangeMan ZMF housekeeping). [Read more »](#)

[Basket processing applied to ASR report PCORPHN](#)

Summary: Create a basket of orphan component promotion history records ([using ASR's built-in report PCORPHN](#)). Then use ASC's [basket processing](#) to remove all these orphan component promotion history entries. [Read more »](#)

[Basket processing](#)

Using XML services in ChangeMan ZMF (CMN/ZMF) is great. It has allowed many CMN/ZMF users to create all

sorts of customizations and applications that interface with CMN/ZMF, all based on the XML services that are delivered with CMN/ZMF. However, many of these CMN/ZMF users also want to automate various tasks that are typically repeated for a "list" of: [Read more »](#)

[AbitMORE SCM Commander - Features](#)

Using an intuitive user interface, AbitMORE SCM Commander (ASC) unleashes the power of ChangeMan ZMF's XML services to ChangeMan ZMF administrators and authorized ChangeMan ZMF users. [Read more »](#)

[Verify/alloc/delete of BAS- PROM- or PROD DSNs](#)

Summary: Create a set of baskets for a single application (alternative: for all applications). Each basket contains all DSNs defined in application administration as production DSNs, baseline DSNs or promotion DSNs. [Read more »](#)

Solution Variables:

```
ASC1 - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Verify/allocate/delete PRM-, PRD- or BAS DSNs
Command =>                                     Scroll => CSR

Manage DSNs defined with application administration

Execution options
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsystem...: T          CMN/ZMF subsystem ID
Process option...: 1          1=Allocate, 2=Info, 3=Delete
View JCL.....: N          View JCL before submit (Y/N)

Target selection
Appl id.....: IBAB      Application ID ( " " for all applications)
Site.....: acpd_____ Sitename ( " " for all sites)

Processing values
Basket prefix...: U87462.B High level qualifier of the basket DSNs

Press <ENTER> to process, <END> to return
```

The above screen (via **Appl id** within **Target selection**) shows that this solution can be used for just 1 application, or for all (dozens? hundreds?) applications in 1 shot.

Also note that this solution (via **Site** within **Target selection**) can be used to process "ALL" sites together, or to process just 1 site (e.g. a new promotion or production target added in various applications) and eventually to be repeated for a 2nd site.

To understand how the output of this solution looks like, and how to further process that output, checkout the

various steps in the scenario below.

[Synchronize DEV staging library list with catalog](#)

Summary: Verify and correct discrepancies between the zOS catalog and the staging DSNs registered in CMNPMAS as allocated. [Read more »](#)

Solution Variables:

```
ASCI - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Synchronize (dev) staging libs with catalog
Command => _                               Scroll => CSR

Synchronize the package development staging library list with the catalog

Execution options
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsys.: T      CMN/ZMF subsystem ID

Target selection
Package id/mask.: *_____ Pkg ID, pkg mask or appl mask ( * for all)

Press <ENTER> to process, <END> to return
```

[Recreate xNode DSNs for selected frozen pkgs](#)

Summary: Submit a request to recreate the X-node DSNs for all frozen packages, optionally limited to only those packages that contain components of a specific library type. [Read more »](#)

Solution Variables:

```
ASC1 - AbitMORE® SCM Commander 1.4.1 -----
Home   > CMN/ZMF Solutions > Recreate Xnode DSN for a list of frozen packages
Command => _                               Scroll => CSR
```

Recreate X.Node data set of frozen packages

Execution options

```
Trace.....: N          N=No trace, Y=Rexx trace, X=Xm1 trace
CMN/ZMF subsys.: t      CMN/ZMF subsystem ID
View JCL.....: N          View JCL before submit (Y/N)
```

Target selection

```
Package id/mask.: _____ Pkg ID, pkg mask or appl mask(" " for all)
Library type....: PSB         Component library type (" " for all)
```

Press <ENTER> to process, <END> to return

- 1
- 2
- [next ›](#)
- [last »](#)

Source URL (retrieved on 19/04/2024 - 14:03): <http://www.abitmore-scm.com/taxonomy/term/13/all>